

[7.1 METODE MEDJUFAZNOG PEGLANJA

MEDJUFAZNO PEGLANJE = RASPEGLAVANJE ŠAVOVA

1. VUNA I PAMUK

- a) Raspeglaj šav ➤ početi peglanje sa parom / bez usisavanja
- b) Vрати peglu nazad sa usisom / bez pare

ili

- a) Raspeglaj šav ➤ počni peglanje sa parom / sa usisavanjem
- b) Vрати peglu nazad sa usisavanjem / bez pare

2. PUPLIN (MALO SUVE PARE)

- a) Raspeglaj šav ➤ počni peglanje sa parom / bez usisavanja
- b) Vрати peglu unazad sa usisavanjem / bez pare

3. FINA VLAKNA I SOMOT

- a) Raspeglaj šav ➤ počni peglanje bez pare / bez usisavanja
- b) Odloži peglu na svoje mesto
- c) Prevuci rukom preko šava uz istovremeno usisavanje

4. SVILA

- a) Raspegla šav ➤ počni peglanje sa malo vlažne pare / bez usisavanja
- b) Vрати peglu unazad sa parom i usisavanjem istovremeno

8.1 TEHNIKE PEGLANJA

STANDARD S + B STO ZA BLUZU I RAVAN STO

Argumenti:

- silikonska podloga za peglu
- zaštitna utičnica
- prigušivač zvuka
- snažno hladno usisavanje
- jednostavan za održavanje
- nosač pegle - opcija
- klizač za peglu
- pomoćni ram
- podešavanje po visini
- niska cena u VEIT kvalitetu
- četiri vrste radnih površina za ravne stolove
- radna površina pogodna za peglanje zenskog programa / DOB /
- papuča sa prekidačem celom dužinom stola
- automatsko prebacivanje vakuuma sa radne površine na formu i obrnuto
- više od 50 razlicitih oblika formi za peglanje



VEIT Škola peglanja: Tehnika peglanja




Strana 2 – Standard SB – DOB sto i Ravni stolovi –



AUTOMATSKO PREBACIVANJE

Usisavanje se prebacuje sa radne površine na formu automatski pomeranjem forme napred .



PODESAVANJE PO VISINI

VEIT Standard stolovi mogu da se podešavaju po visini (715 / 815 / 915 mm) da bi se dobila ergonomska visina za operatora.



EFIKASNO USISAVANJE

Papuča sa prekidačem se prostire dužinom celog stola i lako je startovati .




VISOK KVALITET UGRADJENIH DELOVA

VEIT daju odlican kvalitet proizvoda.
Pocev od snaznog elektro - motora „Made in Germany“.



STABILNA TEHNIKA HLADJENJA

VEIT Standard Stolovi koriste nezagrejanu radnu površinu. Snažno usisavanje garantuje suhu radnu površinu.



SNAZNO USISAVANJE

VEIT Standard Stolovi imaju snažno usisavanje po celoj radnoj površini stola.



DOZIRAJUCA SNAGA IZDUVAVANJA


Specijalno za osetljive materijale i postave funkcija izduvavanja garantuje peglanje bez gužvanja od vakuuma .

8.2 TEHNIKE PEGLANJA

STO ZA PEGLANJE VARIOSET S+B


Argumenti:

- silikonska podloga za odlaganje pegle
- zaštitna utičnica
- kamin za ventilaciju
- snažno - hladno usisavanje
- lak za održavanje
- opremljen sa dva priključka za forme
- visok kvalitet proizvoda
- izduvavanje na radnoj površini ili formi
- pomoćna platforma podesiva prema potrebi
- pomoćna platforma ispod cele dužine radne površine
- vešanje pegle i svetiljka za radnu površinu
- podešavanje stola po visini prema zahtevu operatora
- fino doziranje količine vakuuma ili izduvavanja (u koraku od 10%)
- prebacivanje vakuuma sa radne površine na formu preko el.motora
- pregradnja ravnih stolova / modular sistem u oblik potreban kupcu.



Prednosti displeja :

- lakše rukovanje – sve funkcije na jednom mestu
- **lakše upravljanje i start** : upotrebljiv za različite vrste pegli (pegle visokog pritiska, suve pegle)
- **doziranje optimalne količine vazduha**



Standard Menu

press the <-> key and switch on the unit
level

level	Suction	Blowing	Temperature
1	Suction	Blowing	Temperature
2	S/B <-> B/S Change the kickerplate	A-S/B autom. Resuction / reblowing	Language

Enlarged Menu

press the <+> key and switch on the unit
level

level	Suction	Blowing	Temperature
1	Suction	Blowing	Temperature
2	Timer (program 1, program 2, teach)		
3	counter		
4	S/B<->B/S Change the kickerplate	A-S/B autom. resuction / reblowing	SSB Quick change- over of suction / blowing
5	Working hours	Maintenance interval	Language

NEKI OD VEIT VARIOSET STOLOVA ZA PEGLANJE

Ravan sto



Sto za šavove nogavica



Sto za šavove sakoa



Sto za postavu



Sto za završno peglanje



Sto za bluze




8.3 VODA NA STOLOVIMA ZA PEGLANJE , ZAŠTO :

1. Koristi se suviše pare.
2. Vreme usisavanja vrlo kratko.
3. Sistem obloga na stolu prljav.
4. Sistem obloga na stolu nepropusan.
5. Radno kolo ventilatora prljavo.
6. Crevo za paru suviše dugo
(ne treba da prelazi dužinu od 2.4 m).
7. Crevo za paru smešteno blizu otvorenog prozora i izloženo promaji.
(dovoljeno hladjenje max. 15 stepeni).
8. Parna linija slabo ili loše termicki izolovana.
9. Cevi za paru pogrešno dimenzionisane
(presek cevi suviše veliki ili premali).
10. Pritisak u parnom kotlu nizak.
11. Priljavi odvajači kondenzata ili zapušeni ili oštećeni.
12. Zaptivka u el.-magnetnom ventilu oštećena.
13. Nivo vode u parnom kotlu suviše visok (proveriti nivostat).

8.4 SERVISIRANJE STOLOVA ZA PEGLANJE VEIT

Ako su stolovi loše servisirani, kvalitet peglanja bice loš i biće potrebno mnogo više vremena za peglanje.



Nedelja	1.	2.	3.	4.	5.	6.
❶ očisti rešetku na kaminu						
❷ očisti točkiće balansera						
❸ očisti oblogu stola						
❹ očisti ventilator						
❺ očisti pomoćni ram						
❻ izduvaj parni kotao						
❼ očisti podlogu pegle						

8.5 PARNI KOTLOVI

**COMPACT 2331, 2365 - 2.2 KW, 2365 - 4.4 KW,
PARNI KOTAO VISOKOG PRITISKA 2380**



VEIT Škola peglanja: Tehnika peglanja



Strana 2 – Parni kotlovi

Model		VEIT 2331 COMPACT	VEIT 2365 2,2 kW	VEIT 2365 4,4 kW	VEIT 2365 6,0 kW	VEIT 2365 9,0 kW	VEIT 2380 26 kW	VEIT 2380 39 kW	VEIT 2380 52 kW
Art.No.		123 312 002 0	123 652 000 0	123 651 000 0	123 651 001 0	123 651 002 0	123 801 001 0	123 801 000 0	123 801 002 0
Napon	Volt/Hz	230/50-60*	230/50-60*	400/50-60*	400/50-60*	400/50-60*	400/50*	400/50*	400/50*
Snaga	kW					9	13 / 26	13 / 26 / 39	26 / 52
Priključak za vodu	Zoll / in		option	option	option	option	1/2	1/2	1/2
Priključak za paru	Zoll / in	3/8	3/8	2 x 3/8	2 x 3/8	2 x 3/8	1/2	1/2	1/2
Radni pritisak	bar		3,5-4,0	3,5-4,0	3,5-4,0	5	6-10 (podesiv)	6-10 (podesiv)	6-10 (podesiv)
Kapacitet pare	kg/h					11,7	17 / 34	17 / 34 / 51	34 / 68
Priključak za kondenzat	Zoll / in						1/2	1/2	1/2
Izlaz za odmuljivanje	Zoll / in						3/4	3/4	3/4
Potrosaci pare		1 pegla	1 pegla	2 pегle	2 pегle	2 x 2 pегle / drugo	Pegle / Finiser / drugo	Pegle / Finiser / drugo	Pegle / Finiser / drugo
Dimenzije i težina									
Sirina	cm / in	23 / 9	30,5 / 12	30,5 / 12	30,5 / 12	30,5 / 12	95 / 37.4	95 / 37.4	95 / 37.4
Visina	cm / in	91 / 35.8	78 / 30.7	78 / 30.7	78 / 30.7	78 / 30.7	113 / 44.5	113 / 44.5	113 / 44.5
Dubina	cm / in	28 / 11	50,2 / 19.8	50,2 / 19.8	50,2 / 19.8	50,2 / 19.8	70 / 27.5	70 / 27.5	70 / 27.5
Težina	kg / lbs	32 / 70	40 / 88	40 / 88	40 / 88	40 / 88	250 / 550	250 / 550	250 / 550
Mogućnosti			sa el. magnetnim ventilom ili loptastim ventilom (primer : za Detaset)	sa loptastim ventilom (Pegle / drugo)				sa pumpom za tem. preko 95°C (za povratak kondenzata za više od 50%)	
Art.No.			123 652 001 0	123 651 003 0				123 801 003 0	123 801 004 0

* drugi naponi prema zahtevu kupca

PARNI KOTAO VISOKOG PRITISKA VEIT 2380

Argumenti :

- odličan kvalitet pare iz specijalno oblikovanog bojlera sa velikim prostorom za paru.
- para bez kondenzata zbog regulisanog nivoa vode
- visoka radna sigurnost preko elektronske kontrole nivoa vode
- vizualno pokazivanje temperature vode u bojleru
- zvučni signal za grešku
- laka zamena delova
- sa ugradjenim napojnim tankom za odmuljivanje
- tri modela sa 26, 39 52 kW priključkom daju optimalnu potrošnju energije
- radni pritisak 6-10 bar (podesiv), izlaz za paru 1/2", ulaz kondenzata 1/2", priključak za vodu 1/2"
- niska cena instaliranja zbog kompletnosti kotla



8.6 VEIT - PROGRAM

1. Formfinišeri

MULTIFORM VEIT 8360

Moguće svako podešavanje



MULTIFORM VEIT 8370

Velikih mogućnosti, za mali prostor, niska cena



MULTIFORM VEIT 8380

Perfektan oblik



8.7 VEIT - PROGRAM

2. Fiksir prese

FIKSIR PRESA VEIT AX 450



FIKSIR PRESA VEIT BX 1000 S



Fiksir presa **VEIT FX DIAMOND**



8.8 VEIT - PROGRAM

3. Finišeri za pantalone

FINIŠER ZA PANTALONE VEIT 8730



FINIŠER ZA PANTALONE VEIT 8740

